

## Preparation of Chitin Nanofiber-based Composite Materials by Surface Modification

著者	ENDO Ryo, YAMAMOTO Kazuya, KADOKAWA Jun-ichi
journal or publication title	The Research Reports of the Faculty of Engineering, Kagoshima University
volume	58
page range	69-69
year	2017-03
URL	<a href="http://hdl.handle.net/10232/00029692">http://hdl.handle.net/10232/00029692</a>


## Preparation of Chitin Nanofiber-based Composite Materials by Surface Modification

Ryo Endo, Kazuya Yamamoto, Jun-ichi Kadokawa

Department of Chemistry, Biotechnology, and Chemical Engineering, Graduate School of Science and Engineering, Kagoshima University, Kagoshima 890-0065, Japan

### Abstract

Chitin is widely distributed in nature and an important renewable resource. However, it has been difficult to provide various material applications from chitin, due to lack of solubility and processability. Derivatization of chitin is one of the efficient methods for its material applications. Recently, we found that an ionic liquid of 1-allyl-3-methylimidazolium bromide (AMIMBr) dissolved or swelled chitin, which was also used as a solvent for acetylation of chitin with acetic anhydride under mild conditions [1,2]. Furthermore, we found that self-assembled chitin nanofiber film was obtained by regeneration from a chitin ion gel with AMIMBr using methanol, followed by filtration [3]. In this study, we performed the preparation of self-assembled chitin nanofiber-based composite materials through surface modification (Scheme). First, a self-assembled chitin nanofiber dispersion was prepared according to our previous publication [3]. Then, surface acetylation of the product was performed by reaction with acetic anhydride for 12 h at rt in a dispersion with DMF to obtain partially acetylated chitin nanofibers, which was isolated by filtration to give a film. The film showed compatibility with hydrophobic polymers. For example, the composite film of chitin nanofiber with polyethylene was obtained.



Scheme. Preparation of partially acetylated chitin nanofiber film by surface modification

### References

- 1) K. Prasad, M. Murakami, Y. Kaneko, A. Takada, Y. Nakamura, J. Kadokawa, *Int. J. Biol. Macromol.*, **45**, 221 (2009).
- 2) S. Mine, H. Izawa, Y. Kaneko, J. Kadokawa, *Carbohydr. Res.*, **344**, 2263 (2009).
- 3) J. Kadokawa, A. Takegawa, S. Mine, K. Prasad, *Carbohydr. Polym.*, **84**, 1408 (2011).