

Comparison of relief and rescue activities that occurred after the atomic bombing of Hiroshima and Nagasaki in 1945: Comparison of rescue and relief activities within 72 hours of the atomic bombings in Hiroshima and Nagasaki

著者	松成 裕子
ファイル(説明)	博士論文全文 博士論文要旨 最終試験結果の要旨 論文審査の要旨
学位授与番号	17701乙総論第13号
URL	http://hdl.handle.net/10232/25159

国立大学法人
鹿児島大学
KAGOSHIMA UNIVERSITY

DOCTORAL THESIS

**Comparison of relief and rescue activities that occurred after
the atomic bombing of Hiroshima and Nagasaki in 1945**

**Comparison of rescue and relief activities within 72 hours
of the atomic bombings in Hiroshima and Nagasaki**

YUKO MATSUNARI

2013

INDEX

INDEX 3

ABBREVIATIONS 4

ABSTRACT 5

INTRODUCTION 6

PURPOSE 6

METHODS 6

RESULTS 7

Hiroshima Before the Atomic Bombing: Geographical and Demographic Characteristics . . . 7

Nagasaki Before the Atomic Bombing: Geographical and Demographic Characteristics . . . 8

Rescue and Relief System in Hiroshima 9

Rescue and Relief System in Nagasaki 9

The Atomic Bombing and Its Effects in Hiroshima 10

The Atomic Bombing and Its Effects in Nagasaki 10

Rescue and Relief Activities Within 12 Hours and 72 Hours of the Bombing in Hiroshima . . . 10

Rescue and Relief Activities Within 72 Hours of the Bombing in Hiroshima 11

Rescue and Relief Activities Within 12 Hours and 72 Hours of the Bombing in Nagasaki . . . 12

Rescue and Relief Activities Within 72 Hours of the Bombing in Nagasaki 12

Transportation after the bombing in Hiroshima 13

Transportation after the bombing in Nagasaki 13

DISCUSSION 14

Difference in Geographical Environment 14

Rescue/relief Mobilization System 14

Effects of the Rescue and Relief Activities 15

Preparedness in Medical Science 16

LIMITATIONS 17

CONCLUSION 17

REFERENCES 18

ACKNOWLEDGMENTS 20

ABBREVIATIONS

Region Directly Affected by Atomic Bombing

Hiroshima includes its adjoining cities, towns and villages. *Nagasaki* includes its adjoining cities, towns and villages.

Relief

Relief is defined as medical services, such as accommodation of the injured, first aid, and medical treatment.

Rescue

Rescue is defined as transportation of the injured, disposal of the dead, distribution of food and supplies, cleaning of contaminated areas and repair of infrastructure.

Temporary Relief Stations

This term includes places where relief activities were temporarily performed just after the atomic bombings, in addition to permanent relief stations, which were set up and managed by the wartime disaster protection regulations before the bombings.

Time of the Atomic Bombings

In Hiroshima, the atomic bomb was dropped at 8:15 AM on August 6, 1945. In Nagasaki, Nagasaki, another atomic bomb exploded at 11:02 AM on August 9, 1945.

Disaster

Disasters were classified according to the Disaster Prevention Administration of Japan in 1977. Ohyané¹ states that a disaster occurs because a society is incapable of coping with the cause, and that the disaster creates stress in daily life in the society.

Abstract

Purpose: To clarify the factors and reasons for the differences in the outcomes of rescue and relief efforts in Hiroshima and Nagasaki, mainly focusing on the numbers of rescue/relief staffs and casualties in the period within 72 hours after the atomic bombings in August 1945.

Methods: By retrieving the data and information from the records and reports concerning the disasters in the two cities, together with other publications as to the damages by the atomic bombings and subsequent rescue-relief activities, and restoration activities.

Results and Conclusions: It seems that there was less damage in Nagasaki where a stronger atomic bomb was used than that in Hiroshima. There were crucial geographic factors that led to the different effects in terms of the numbers of victims; however, systematic organization and mobilization of rescue and relief staffs, maintenance of functional transportation, and advanced medical knowledge and public warning with regard to disaster all may have contributed to a lower death toll and increase of survivors in Nagasaki.

Key Words: atomic bombing, Hiroshima, Nagasaki, disaster, rescue and relief activities

Introduction

Both Hiroshima and Nagasaki were devastated by atomic bombs. The author had the opportunity to summarize “Individual testimonies of nursing care after the atomic bombing of Hiroshima in 1945”² and “Individual testimonies of nursing care after the atomic bombing of Nagasaki in 1945”.³ In these two investigations, the author noticed that while the atomic bomb used on Nagasaki had a larger potential for destruction, there seems to have been less damage in Nagasaki compared to that in Hiroshima.⁴ Although there are geographical differences that could account for the differences in outcomes for the two areas, there may be other factors or reasons for the differences.

Purpose

This study aimed to clarify the factors and reasons for the differences in the outcomes of rescue and relief efforts in Hiroshima and Nagasaki, mainly focusing on the numbers of rescue/relief staffs and casualties in the period within 72 hours after the atomic bombings, by retrieving the data and information from the records and reports concerning the disasters in the two cities.

Methods

With regard to Hiroshima and Nagasaki respectively, the data and information concerning geographical and demographic characteristics, rescue and relief system, the atomic bombing and their effects, rescue and relief activities within 12 hours and in 72 hours after the bombing, rescue and relief activities within 72 hours after the bombing, and transportation after the bombing were retrieved and analyzed mainly from nine documents, which recorded and reported on the wartime system and environments in Hiroshima and Nagasaki^{4,5,6,7,8,9,10,11,12} together with other research publications as to the damages by the atomic bombings and subsequent rescue-relief activities,⁴ and restoration activities¹³. For the purpose of confirming the retrieved data/information, the testimonies of nursing staffs, who worked in Hiroshima or in Nagasaki at the time of the disasters, were also consulted.^{2,3} The interviewees were one midwife, one public health nurse and eight nurses, and they were 16 to 26 years old (mean. 20.0(SD. 3.27), at the time of the bombing. To increase the validity of analysis, an additional core researcher re-checked the data/information retrieved from these documents.

Interviews

The interviews were conducted in a semi-structured style. The questions were mailed to the participants beforehand. Participants brought their answer sheets to the interview room and individual face-to-face interviews were conducted. Then their answers to the questions were confirmed. Each interview lasted 60-90 minutes on average. All the interviews were audio-taped and videotaped on the day of the interview.

The information collected in the interviews was categorized in the following three periods: Period 1, Hiroshima before August 6, 1945 and Nagasaki before August 9, 1945; Period 2, August 15, 1945, the day that the war ended; and Period 3, Hiroshima from August 15 to October 5, 1945 and Nagasaki from August 15 to October 8, 1945.

Analysis method

The information extracted from the documents was retrieved, such as the roles of the various nursing occupations when exposure to radiation occurred and the problems they faced when undertaking relief activities. The information collected from the interviews was coded and categorized in the time periods for examination as mentioned above. Regarding trustworthiness, credibility was established through member checking.

To increase the validity of the analysis, an additional core researcher compared the collected information from the ten participants with the information retrieved from the documents, and verified the consistency of the information obtained in the interviews. This research was conducted according to the described procedure. Only data which was verified was used in the analysis.

Results

Hiroshima Before the Atomic Bombing: Geographical and Demographic Characteristics

Hiroshima City is located at the western edge of the main island in Japan. The city has rather open and flat field around the center, facing the sea in the south, with low hills in the north. Hiroshima was the largest city in Western Japan next to Osaka, with a population of approximately 340,000 before the atomic bomb attack.

At the time of the war, Hiroshima was the western military center in Japan, with a lot of military-related headquarters institutions. Thus, Hiroshima Prefecture and Hiroshima City were

entirely devoted to the military as this area was designated as the “Forces County” and there were 40,000 or more persons involved in the military.⁴ On the other hand, between 1942 and June 1945, evacuation resulted in a shrunken population of 173,759.⁷

With regard to the medical background, the Hiroshima Prefectural Medicine Vocational School opened on March 24, 1945, for the first time in this area.

Nagasaki Before the Atomic Bombing: Geographic and Demographic Characteristics

Nagasaki is situated in the northwestern part of Kyushu, the western island apart from the main island in Japan. The city center is open to the sea in the south, surrounded by rather high hills in other three directions. Before the atomic bomb attack in 1945, Nagasaki had the population of approximately 240,000.

At the time of the war, Nagasaki was a fortified zone.⁵ There were two munition factories (Mitsubishi and another), and they were well organized and productive under the supervision of the [Japanese] navy.⁸

Nagasaki had a history of development in medicine. In the 17th century, the Tokugawa Shogunate closed its doors to foreign countries and prohibited human transportation and commercial transactions with other countries, except Nagasaki. Nagasaki was the only place allowed by the Tokugawa authority to communicate with China and the Netherlands. Therefore, Nagasaki had the opportunity to have contacts with the advanced European knowledge with regard to science and medicine. Thus, the Nagasaki Medicine Vocational School has a long history. It became Nagasaki Medical College (the present Nagasaki University School of Medicine) in 1923. An endemic disease research institute was installed in 1946. The Nagasaki Medical College was attached to the East Asian Endemic Disease Research Institute (the endemic disease research institute founded in 1942), and has extensive historical data about infection. Specialized care for victims of radiation was also established.¹⁰

	Hiroshima	Nagasaki
Location	West edge of the main island	West of Kyushu Island
Geography	Open and flat with low hills in the north	Open to the sea in the south, surrounded by steep hills in other three directions
Population	340,000	240,000
Military relationship	Center/headquarters of several military administrations	Two munition factories
Medical college built	in April 1945	in 1923

Table 1. Characteristics of Hiroshima and Nagasaki before atomic bombings in August 1945

Rescue and relief system in Hiroshima

There were three organized civil defense units: the east area, the west area, and Ujina area. As a subsidiary organ of the police force, approximately 2,407 additional staff members played an active role in air defense.⁶

In the wartime, physicians in Hiroshima were forbidden to evacuate under the prefectural air defense medical relief guidelines. Medical rescue squads of seven members were organized, and consisted of one doctor, one dentist, one pharmacist, three nurses, and one clerk. The uniform and personal tools for relief activities were provided for the medical staff as a sign of obedience-to-a-calling-up-order. The town association and the civil defense units were also in charge of relief for each area, and services were mainly provided by the relief squad.⁵ There were private measures for relief taken in parallel with prefectural authorities. A liaison group, a fire brigade group, and the relief squad were organized as parts of the team within a school district area as a civil defense unit subsystem. It was reported that there had been troubles and problems in control, and conflicts among these different-origin relief organizations.⁶

In Hiroshima, the prefectural government and the city municipal office were continuously trying to store goods for air defense relief. The stockpile, distribution, and evacuation of medicine were ongoing, but there were no consistent records about quantity or product types.⁷

Rescue and relief system in Nagasaki

In Nagasaki, the rescue and relief organization system was established in 1945. The prefectural headquarters for relief organizations consisted of the governor as president, the mayors as vice-president, relief director under each mayor, and general director under each relief director. There were 28 relief stations, and each station was managed by relief station director. There was a specified chain of command, and a total of 610 persons were registered to serve in positions within the command structure. The chain of command also applied to air-raid drills.

The organization was often revised; improvement was demonstrated by a decrease in successive calls among the personnel within the chain of command. Moreover, after repeated air strikes, training maneuvers were performed with increased efficiency.⁸ After every air strike, the relief stations cared for injured persons who came from the immediate area and for those who traveled long distances. Triage of the injured was a common practice.

A refuge with a stockpile of medical supplies and food was in place before the bomb was

dropped.² These stockpile supplies were listed in detail by name, quantity, and other characteristics.⁸

Japan tried to access the Potsdam ultimatum and policies when the atomic bomb was dropped in Hiroshima on August 6, 1945. The information about what happened in Hiroshima was transmitted to Nagasaki. On August 8, just one day before another atomic bombing, the defense system's ability to cope with the new style bomb was discussed in Nagasaki. The damages in Hiroshima were broadcast by the public broadcasting system. Evacuation of schoolchildren was discussed, but the bomb was dropped on August 9th before evacuation could be accomplished.¹¹

The Atomic Bombing and Its Effects in Hiroshima

The US Air Forces dropped the atomic bomb dubbed 'Little Boy' in Hiroshima, and it was exploded at 8:15 AM on August 6, 1945. The thermal energy is 13 kilotons of TNT 96. The explosion point was 580 meters from the ground. The blast pressure was 0.23kg/cm² at 850 m from the epicenter of the explosion. The casualties by heat rays were found at the point of 3.5 km from the epicenter. Approximately 118,000 people were killed and almost 80,000 were injured by shock wave, heat rays, and various forms of radiation release.

The Atomic Bombing and Its Effects in Nagasaki

Nagasaki was attacked by another atomic bomb at 11:02 AM on August 9, 1945. The thermal energy was 22 kilotons of TNT 222. The explosion point was 500 meters from the ground. The blast pressure was 0.33kg/cm² at 1000m from the epicenter of the explosion. The casualties by heat rays were found at the point of 4.0 km from the epicenter. Approximately 74,000 people were dead and about 75,000 were wounded by blast, heat rays, and radiation release.

	Hiroshima	Nagasaki
Time of bombing	8:15 a.m. August 6, 1945 (JST)	11:02 a.m. August 9, 1945 (JST)
An atom of the isotopes	Uranium235	Plutonium239
Thermal energy (cal/cm ²)	13 kilotons of TNT 96 (580m from the ground)	22 kilotons of TNT 222 (500m from the ground)
Blast pressure	0.23 kg/cm ² (850m)	0.33 kg/cm ² (1,000m)
Death toll (/population)	about 118,000 (/340,000)	about 74,000 (/240,000)
Injured	about 80,000	about 75,000

Affected	about 200,000	about 130,000
Buildings destroyed	91.9 %	36.1 %

Table 2. Two atomic bombs and their effects

Rescue and Relief Activities Within 12 Hours and in 72 Hours of the Bombing in Hiroshima

The first rescue mobilization demand was ordered to the branches of Hiroshima Prefectural Office through the police lines at 11:00 AM, almost three hours after the bomb explosion. Ten medical rescue crews arrived at a military clinic in the city center around 12:00. In the afternoon, 187 staff reached at the clinic in the city center. On the evening of August 8th, a medical survey team with 30 members arrived in the city center. They started their rescue and relief activities on the morning of August 9th. At the same time, 594 medical staff belonging to Hiroshima Medical Association and 202 medical staff from other prefectures such as Osaka started their rescue and relief activities⁶.

Rescue and Relief Activities Within 72 Hours of the Bombing in Hiroshima

The total number of rescue staff, mainly organized by the police and the guard units, was 21,257, and that of relief staff was 26,542.⁶ That is to say, one rescue staff dealt with 16.0 citizens (340,000/21,257), and one relief crew treated 12.8 citizens (340,000/26,542). The rough average number of rescued/relieved people was 7.1 per one rescue/relief staff (340,000/47,799).

Before the bomb attack, there were 11 relief stations for defense of air raids. After the disaster, 53 temporary relief stations were built in the city.

Immediately after the bombings, patients suffered from burns, blunt or crush injuries, glass fragments embedded in the skin, and hemorrhage. In Hiroshima, diarrhea and bloody feces caused by radiation exposure occurred, and initially dysentery was suspected; thus, hospitals promptly initiated extraordinary infection control measures.⁵

Two nurses reported^{2, 3} that in Hiroshima, a local medical practitioner was put in charge of relief efforts and temporary relief stations were set up. Every request for rescue and relief was received at each inhabitable area in which a temporary relief station was established.

The problems associated with wound care were described by nurses. The nurses who worked in Hiroshima in the disaster reported² that required goods, such as bandages for treating burns and injuries, were insufficient in Hiroshima. Any available material was used and adapted, for example, kimonos were cut for bandages. They also said that when maggots appeared on the

surface of the wounds, the medical treatment became more difficult.⁵

Rescue and Relief Activities Within 12 Hours and 72 Hours of the Bombing in Nagasaki

The first rescue mobilization demand was ordered soon after the bomb explosion, and 85 people belonging to two different medical rescue groups arrived in the devastated city center at 11:30 AM, in only approximately 30 minutes. Approximately four to five hours later, 107 medical rescue crew members reached the city center from Isahaya Navy Hospital and other institutions around the city. In 12 hours, there were 256 rescue staffs in the city from adjacent towns and villages. On August 12th, 72 hours after the event, 1,626 staff were mobilized for rescue and relief activities.

The nurses, who lived in Nagasaki at the time of the event, reported³ that the civil defense unit and the fire brigade had begun rescue activities immediately. One of them also remembered that one family had been rescued from a collapsed house by the members of a young people's association.³

Rescue and Relief Activities Within 72 Hours of the Bombing in Nagasaki

Before the atomic bombing, there were five relief stations for defense of air raids. After the disaster, 29 temporary relief stations were built in the city, and 73 temporary relief stations were developed around the devastated area. In Nagasaki, the victims thronged to the planned relief stations.

Nagasaki had 55 different rescue/relief service organizations. In addition, from outside the prefecture, 7,459 persons in total offered relief support, such as from Saga Prefecture and others. Finally, 8,970 persons in total devoted to relief efforts in Nagasaki City,⁸ that is, 26.7 casualties received relief services per one relief staff (240,000/8,970).

Three nurses who worked in the devastated area in Nagasaki reported³ that medical goods and supplies had been distributed to various places before the bombing in Nagasaki. Therefore, decontamination and care of the injured were able to be performed by resources within the Nagasaki area. It has also been reported by a nurse that the injured were cared for in the ruined school buildings by staff and students who themselves had barely survived.⁵ In this situation, Mr. Takashi Nagai, a medical doctor at Nagasaki Medical College at that time, immediately recognized the symptoms of radiation exposure, and he was in charge of medical treatment in

Nagasaki¹²; thus, the bloody diarrhea symptoms were not often mistaken as dysentery.

Rescue and Relief activity	Hiroshima	Nagasaki
Time of bombing	8:15 a.m. August 6, 1945 (JST)	11:02 a.m. August 9, 1945 (JST)
First rescue order	11:00 a.m. : Rescue was demanded. 12:00 p.m. 10 medical rescue crews arrived.	11:30 a.m. : Rescue was demanded. First rescue crews arrived: 85 staff members from two different groups.
Within 12 hours	In the afternoon, 187 rescue staff arrived.	4-5 hours later, 107 medical staff arrived from adjacent towns. 12 hours later, 256 rescue crews arrived.
Within 72 hours	Medical survey team arrived with 30 members on August 8. Hiroshima Medical Association staff:594 Medical staff from other prefectures:202 arrived on August 9.	1,626 rescue staff arrived as of August 12.

Table 3. Process of rescue and relief activities in the two cities

Rescue and Relief activity	Hiroshima	Nagasaki
Relief station	11	5
Temporary relief station	53	29 in the city 73 outside the devastated area
Rescue staff	21,257	48,655
Citizens per rescue staff	16.0 (340,000/21,257)	4.9 (240,000/48,655)
Relief staff	26,542	8970
Citizens per relief staff	12.8 (340,000/26,542)	26.7 (240,000/8970)
Total	47,799	57,625
Treated per staff	7.1 (340,000/47,799)	4.2 (240,000/57,625)

Table 4. Process of rescue and relief activities in the two cities

Transportation After the Bombing in Hiroshima

The Hiroshima Train Station was burned down. Many roads were blocked by collapsed houses or electrical fire damage and railroad tracks were broken in many sections; thus, trains, buses, and other types of vehicles could not pass on the road or rail system.⁷

Transportation After the Bombing in Nagasaki

On the day of the bombing, the injured were transported by the relief train, which started from the railway station located 1.4 km far from the hypocenter. The first train left the station at 1:50

PM, with approximately 3,500 injured people. The train ran four times that day.⁵ It is reported that 8,493 injured patients were conveyed to surrounding hospitals within eight institutions and five other cities, towns or villages,⁸ including other prefectures such as Fukuoka (personal contact). One nursing staff remembered³ that getting on a relief train the day after the bombing had been difficult because of the confusion, with a large number of people trying to escape from the city and rushing toward the railway platforms.

Discussion

Difference in Geographical Environment

As shown in Table 1, approximately 118,000 (34.7%) of about 340,000 people were killed by the bombing in Hiroshima, and approximately 74,000 (30.8%) of 240,000 residents were killed in Nagasaki.

In spite of the fact that the bomb dropped on Nagasaki was stronger than that dropped on Hiroshima, the death toll and death rate (of actual residents) were larger in Hiroshima than in Nagasaki. The larger population was one of the reasons for the larger death toll in Hiroshima. But it might be also that the shock wave affected a wider area of Hiroshima City, which was open and flat, compared to valley-shaped narrow Nagasaki. The rate of the destroyed buildings also shows that almost all the buildings were damaged in Hiroshima (91.9%). A major escape route was destroyed and the remnants of the route fell into the river; many died because they were not able to escape from the damaged area.¹⁴ Thus, many people lost their lives not only from the blast and acute radiation contamination, but also from the collapsed buildings and fires in the aftermath. It is likely that loss of the evacuation route greatly influenced the initial and overall death toll.

Rescue/relief Mobilization System

In Hiroshima, the responsibility for relief efforts was shared randomly by the town association and civil defense units which mainly consisted of relief squads made up of medical staff. A relief squad, a liaison group, and a fire brigade were formed in each area.⁶ Therefore, it took time to organize efficient cooperation among these groups at the time of the crisis. Relief responsibilities were not clearly defined and assigned in Hiroshima and rescue efforts by the relief squad were intermingled with the efforts by other rescuers. This might be the cause of the

late arrival of rescue and relief teams to the devastated area, compared to those in Nagasaki.

In Nagasaki, on the contrary, the chain of command was much stronger and more clearly defined. The governor was the top of the command, and every city mayor was supervised by the governor. Every mayor controlled a general director of city relief station, and the general director administered managers of relief station branches.⁵ The organization revision also corresponded to battle air-raid drills and included professional expertise related to relief efforts.

It is supposed, thus, that the difference in the organizational structure of rescue/relief organization influenced relief and rescue efforts, such as issuing the first rescue order and the arrival timing of the first rescue squad between the cities.

Effects of the Rescue and Relief Activities

It has been reported that, in 1950, there were 124,901 survivors in Nagasaki who were directly affected by radiation contamination, whereas there were 158,597 survivors directly affected by radiation in Hiroshima. This different rate of the survivors was supposed to be caused by the following three factors.

In disaster management, it is argued that the first 72 hours are critical and the initial activities are important.¹⁵ One of the factors might be earlier arrival of the rescue and relief staffs and their numbers. The first rescue order was given after 30 minutes. Table 3 shows that the first rescue order was responded to by 85 rescue staff members, but in Hiroshima, it took almost three hours to receive 10 rescue crews in the devastated area. Moreover, within 12 hours, rescue crews arrived in Nagasaki one after another, larger numbers than those in Hiroshima in the same period after the disaster event. The similar condition continued in 72 hours after the bomb explosion in both cities. This difference in arrival timing might be due to the organizational structure which was mentioned earlier in this paper.

Secondly, due to the large numbers of the rescue/relief staff, many casualties were treated by many staff. As shown in Table 4, in Nagasaki, an average of 4.2 citizens were treated by one crew member, compared with 7.1 citizens in Hiroshima. This means that Nagasaki's staffs members were able to take care of fewer injured people than those in Hiroshima. In other words, the injured were taken care of much better than those in Hiroshima. This factor might lead to save more lives of the affected residents in Nagasaki.

This study describes earlier the geographical and administrative differences that might be

the third cause of the difference in the survival rates of both cities. Hiroshima City was an open and flat area, and the blast damaged almost all the buildings and infrastructure. This situation made it impossible to transport the injured by car or tram. The administration of rescue/relief organization did not function well, which led to spontaneous temporary relief sites being developed at random in the devastated area to give immediate and direct care to victims. These factors mean that the injured people were made to stay in the contaminated, unhealthy places without having any means to evacuate.

In contrast to the condition in Hiroshima, Nagasaki's rescue/relief activities were well organized and managed. There were several relief stations placed far from the city center, which were prepared to receive and take care of the injured in clean and healthy conditions soon after the bomb attack. Medical materials were available because they had been moved to safer places beforehand. Nagasaki Medical College Hospital played a crucial role as a medical administration center, accumulating the disaster information and providing medical control. Fortunately, the railway was not damaged by the bombing perhaps due to being protected by the hilly geography. Thus, the train transported many of the injured to areas other than the damaged city center on the day of the disaster, which might have contributed to saving more lives of the victims. Operation of the trains seems to have had a significant impact on the death toll and the movement of injured persons in a large-scale disaster.

Preparedness in Medical Science

In the early period after the bombings, there were differences between Hiroshima and Nagasaki with respect to medical services as rescue/relief activities.

In Hiroshima, diarrhea and bloody feces occurred among the victims because of radiation exposure. However, dysentery was suspected and extraordinary infection control measures were promptly started in the hospitals. In Nagasaki, bloody diarrhea was not often mistaken for dysentery. This means that proper medical diagnoses and treatments were provided in Nagasaki, thanks to its longer historical background in terms of accumulation of knowledge, skills and experiences in medical science in Nagasaki than in Hiroshima. Therefore, it is possible that the development of medical treatments resulted in the difference between how Hiroshima and Nagasaki recognized and managed the radiation-induced symptoms.

The above-mentioned misunderstanding was also likely to be caused by lack of medical

colleges in Hiroshima that might have accumulated knowledge about radiation-induced symptoms. On the other hand, Nagasaki Medical College functioned as the medical center in the area before the wartime. In addition, a nursing staff member who worked for Nagasaki Medical College Hospital reported that the president of the college happened to pass through the damaged area in Hiroshima and observed the damages directly. He then reached Nagasaki and shared with the medical staff of the college the information on the atomic bombing, its effects and the knowledge concerning radiation-induced symptoms. He also warned to his colleagues and medical staff about the possibility of being attacked, on the morning of August 8, 1945, just a day before the attack upon Nagasaki.³ The Japanese public broadcasting system, NHK Radio, also reported on the disaster in Hiroshima the night of August 8th, which alarmed the residents in Nagasaki. These fortunate events in Nagasaki might contribute to increasing the rate of the survivors who were harmed directly by radiation.

Limitations

This study compared with the numbers of the casualties, victims and rescue/relief staffs within 72 hours of the atomic bombings between Hiroshima and Nagasaki. Thus, other elements which might have affected rescue/relief activities, such as the difference of attacked timing (8:15 AM in Hiroshima and 11:02 AM in Nagasaki), the difference of consequences after 72 hours, effects of residual radiation contamination density, and conditions of triage, should be investigated in further research.

This research is also dependent mainly on the documented records, confirmed by testimonies collected from the nursing staff who worked in Hiroshima or Nagasaki at the time of the events. However, the number of the nurses who were involved in the previous research projects is limited (10 nurses). The events in Hiroshima and Nagasaki occurred more than 65 years ago, the survivors and witnesses were getting very old, and that it was critical to gather narrative accounts as soon as possible in order to preserve the survivors' impressions and memories, which would be lost forever if not recorded.^{2,3} Time for further research is running shorter and shorter.

Conclusions

1. In Nagasaki, the command of relief was systematically organized. In Hiroshima, relief

efforts were shared between two organizations. There were relief squads which were organized by medical staff, and relief squads which were organized by other people in the area.

2. In Nagasaki, the injured were transferred on a relief train immediately after the bombing. It is likely that this functional train served as a lifeline that greatly influenced relief activities and outcomes.
3. There were fewer relief organizations and staff in Nagasaki compared to Hiroshima.
4. In the early period after the bombings there were differences between Hiroshima and Nagasaki with respect to medical conditions. However, overall there were no differences between the prefectures or the two cities.

It seems that there was less damage in Nagasaki, where a stronger atomic bomb was used, than that in Hiroshima. There were important geographical factors; however, preparation and organization, and functional transportation may have contributed to a lower death toll and increase of survivors.

This study may be useful for large scale natural disasters such as earthquakes, typhoons or tsunamis, but absolutely not for a disaster caused by atomic bombing, which should never occur again.

References

1. Ohyané A. Shakaigaku teki Saigai no Ichishiten (From a sociological point of view concerning the damage caused by disasters): Hisai Seikatsu no Renzokusei to Saigaibunka no Gugenka (Continuity of disaster-stricken life and embodiment of culture damaged by disasters). *Nenpo Kansai Shakaigaku Ronshu (The Annals of Sociology Kansai Area)*. 1992;5.
2. Matsunari Y, Nozawa S, Sakata K et al. Individual testimonies on nursing care after the atomic bombing of Hiroshima in 1945. *Int Nurs Rev*. 2008; 55(1):13-19.
3. Matsunari Y, Nakao R. Individual testimonies on nursing care after the atomic bombing of Nagasaki in 1945. *Prehospital Disaster Med*. 2013; 28(2):99-103.
4. Japan National Preparatory Committee. Hibaku no Jisso to Hibakusha no Jitsujō 1977 (The real facts of radiation exposure and the current situations of the victims of the atomic bombing 1977), NGO International Symposium on the Damage and Aftereffects of Atomic Bombing. *Asahi Evening News*. 1978:105.
5. Committee for the Complication of Materials on Damage Caused by the Atomic Bombs in Hiroshima and Nagasaki. *Hiroshima and Nagasaki: The Physical, Medical, and Social Effects of the Atomic Bombings*. Tokyo: Iwanami Shoten, 1979.

6. Hiroshima Ken Genbaku Shogaisha Taisaku Kyougikai (Hiroshima Prefectural Council for Support of Victims Disabled by the Atomic Bombing). *Hiroshima Genbaku Iryo-shi (The Medical History of Hiroshima after the Atomic Bombing)*. Hiroshima: Hiroshima Ken Genbaku Shogaisha Taisaku Kyougikai, 1961.
7. Hiroshima Shiyakusho. *Hiroshima Genbaku Sensaishi (Record of the Hiroshima A-bomb War Disaster (RHAWD)) Vol. I*. Hiroshima: Hiroshima Shiyakusho, 1971.
8. Nagasaki Shiyakusho. *Nagasaki Genbaku Sensaishi (Record of the Nagasaki A-bomb War Disaster (RNAWD)) Vol. I*. Nagasaki: Nagasaki Kokusai Bunka Kaikan (Nagasaki International Cultural Hall), 1971.
9. Hiroshima Ken (Hiroshima Prefecture). *Hiroshima Ken Shi (The History of Hiroshima Prefecture)*. Hiroshima: Hiroshima Ken, 1972.
10. Genbaku Jutshunen Kinen Shuppan Inikai. *Tsuioku: Nagasaki Ika Daigaku Genshi Bakudan Giseisha no Rei ni Sasagu*. Nagasaki: Nagasaki Genbaku Jisshunen Kinen Shuppan Inikai, 1955.
11. Shirabe R, Yazaki T, Matsuo Y. *Nagasaki-Bakushinchi Fukugen no Kiroku (Nagasaki-Record of Reconstruction of the Central Bombed Area)*. R. Shirabe (ed.). Tokyo: Nippon Hoso Shuppan Kyokai (Japan Broadcasting Publishing Co., Ltd.), 1972.
12. Nagasaki Faculty of Medicine. *Wasure enu Hi (The Unforgettable Day): Reconstruction from the disaster of the atomic bombing Fiftieth Igaku Dousou Kinen Jigyokai*. Nagasaki: Nagasaki Ikadaigaku Fiftieth Anniversary of reconstruction from the atomic bombing disaster, 1995.
13. Minami H, Shindo Y, Nakashima M, et al. *Saigai ni okeru Kango Shien Netto Waaku no Kouchiku ni kansuru Kenkyu Hokoku (Report on the study concerning the establishment of nursing support network in disasters)*. Hyogo: College of Nursing Art and Science, 2000.
14. Matsuo M, Tani S. Rivers and bridges as first places of refuge at the time of atomic bombing of Hiroshima. *Hiroshima Peace Science*. 2007; 29:1-25.
15. Hayashi H. *Inochi wo Mamoru Jishin Bousaigaku*. Tokyo: Iwanami Shoten, 2003.

Acknowledgements

The author would like to acknowledge the valuable contribution of the nurses who participated in the study. I would like to express many thanks Professor Suminori Akiba.

I also express many thanks Professor Hideyuki J. Majima, Professor Yasuyuki Kakihana, Professor Toshiro Takezaki, Professor Masahisa Horiuchi, and Akira Sano. I would like to offer my special gratitude to Prof. Shinji Miyauchi, Associate Professor of Oita University of Nursing and Health Sciences for his helpful suggestions and comments to write the paper.

Comparison of rescue and relief activities within 72 hours of the atomic bombings in Hiroshima and Nagasaki

Yuko Matsunari