

2014 ANNUAL CONTRIBUTIONS Author Index

journal or publication title	Memoirs of Faculty of Fisheries Kagoshima University
volume	64
page range	64-67
year	2015
URL	http://hdl.handle.net/10232/00030001

2014 ANNUAL CONTRIBUTIONS Author Index

- Ahamed F., Z. F. Ahmed, M. Y. Hossian and J. Ohtomi (2014) Population Biology of the Indian River Shad *Gudusia chapra* (Clupeidae) in the Old Brahmaputra River, North-Eastern Bangladesh. *Sains Malaysiana*, **43** (11): 1645–1655.
- Ahamed, F., B. Flanda, M. A. B. Siddik, M. Y. Hossain, M. M. R. Mondol, Z. F. Ahmed and J. Ohtomi (2014) An overview of freshwater prawn fishery in Bangladesh: present status and future prospect. *J. Coast. Life Med.*, **2** (7): 580–588.
- Ahamed, F. and J. Ohtomi (2014) Relative growth and sexual maturity of the pandalid shrimp *Plesionika izumiae* (Decapoda: Caridea) in Kagoshima Bay, southern Japan. *Crustaceana*, **87** (13): 1567–1577.
- Bulbul, M. Md Abdul Kader, S. Koshio, M. Ishikawa and S. Yokoyama (2014). Effect of replacing fishmeal with canola meal on growth and nutrient utilization in kuruma shrimp *Marsupenaeus japonicus* (Bate). *Aquaculture Research*, **45**: 848–858.
- Chigwechokha, P., M. Komatsu, T. Itakura, K. Shiozaki (2014). Nile Tilapia Neu3 sialidases: molecular cloning, functional characterization and expression in *Oreochromis niloticus*. *Gene*, **552**: 155–164.
- Dasgupta, S., A. Cao, B. Mauer, B. Yan, S. Uno and A. McElroy (2014). Genotoxicity of oxy-PAHs to Japanese medaka (*Oryzias latipes*) embryos assessed using the comet assay. *Environ. Sci. Pollut. Res.* **21** (24): 13867–76.
- El-Kady M.A.H., Y. Kaminishi and T. Itakura (2014). Molecular characterization and organs expression of cytochrome P450 1B1 from Japanese eel (*Anguilla japonica*). *Egypt. J. Aquat. Biol. & Fish.*, **18**: 103–113.
- El-Kady M.A.H., Y. Kaminishi and T. Itakura (2014). Molecular characterization and organs expression of cytochrome P450 1C1 from Japanese Eel (*Anguilla japonica*). *Egypt. J. Aquat. Biol. & Fish.*, **18**: 115–124.
- Egawa, K., T. Yamamoto, M. Takayama and K. Nakai. (2014). Development of removal technique of largemouth bass and blue gill at the Matsumoto Dam – using artificial spawning equipment and net cages –. *Nature of Kagoshima*, **40**: 95–99.
- Fujimoto, M., G. N. Nishihara and R. Terada (2014) The effect of irradiance and temperature on the photosynthesis of two agarophytes *Gelidium elegans* and *Pterocladia tenuis* (Gelidiales) from Kagoshima, Japan. *Fisheries Science*, **80** (4): 695–703.
- Fujimoto, M., K. Nitta, G. N. Nishihara and R. Terada (2014) Phenology, irradiance and temperature characteristics of a freshwater red alga, *Nemalionopsis tortuosa* (Thoreales), from Kagoshima, southern Japan. *Phycological Research*, **62** (2): 77–85.
- Funahashi A., Y. Kaminishi and T. Itakura (2014). A Proposal for Quality Assessment and Critical Control Point on Fresh Fishes Packed with Deoxidizer (MA storage). *Mem. Fac. Fish. Kagoshima Univ.*, **63**: 1–8.
- Fushimi Y., M. Takagi, S. Uno, E. Kokushi, M. Nakamura, H. Hasunuma, U. Shinya, E. Deguchi, J. Fink-Gremmels (2014). Measurement of Sterigmatocystin Concentrations in Urine for Monitoring the Contamination of Cattle Feed. *Toxins*, **6** (11): 3117–3128.
- Gao, J., S. Koshio, M. Ishikawa, S. Yokoyama and R.E. Mamauag (2014). Interactive effects of vitamin C and E supplementation on growth performance, fatty acid composition and reduction of oxidative stress in juvenile Japanese flounder *Paralichthys olivaceus* fed dietary oxidized fish oil. *Aquaculture*, **422/423**: 84–90.
- Gao, J., S. Koshio, W. Wang, Y. Li, S. Huang and X. Cao (2014). Effects of dietary phospholipid levels on growth performance, fatty acid composition and antioxidant responses of Dojo loach *Misgurnus anguillicaudatus* larvae. *Aquaculture*, **426/427**: 304–309.

- Han, Y.Z., R.Z. Han, S. Koshio, M. Ishikawa, S. Yokoyama and J. Gao. (2014). Interactive effects of dietary valine and leucine on two sizes of Japanese flounder *Paralichthys olivaceus*. *Aquaculture*, **432**: 130–138.
- Han Y.Z., S. Koshio, Z.Q. Jiang, T.J. Ren, M. Ishikawa, S. Yokoyama and J. Gao. (2014). Interactive effects of dietary taurine and glutamine on growth performance, blood parameters and oxidative status of Japanese flounder *Paralichthys olivaceus*. *Aquaculture*, **434**: 348–354.
- Hirose, K., T. Yorisue, H. Itoh, T. Yamamoto and S. Kojima (2014) Multiplex PCR-based genotyping of mitochondrial DNA from two species of the genus *Batillaria* (*B. multiformis* and *B. flectosiphonata*) from Amami-Oshima Island, Japan. *Plankton & Benthos Research*, **9**: 67–70.
- Hossain, M.Y., M.M. Rahman, F. Ahamed, Z.F. Ahmed and J. Ohtomi (2014) Length-weight and length-length relationships and form factor of three threatened fishes from the Ganges River (NW Bangladesh). *J. Appl. Ichthyol.*, **30** (1): 221–224.
- Kasamo, K., A. Isobe, S. Minobe, A. Manda, H. Nakamura, K. Ogata, H. Nishikawa, Y. Tachibana, and S. Kako (2014). Transient and local weakening of surface winds observed above the Kuroshio front in the winter East China Sea. *J. Geophys. Res. (Atmospheres)*, **119**: 1277–1291.
- Kitolelei, J., S. Nishimura, T. Torii (2014). Multilayer Rules and Governance in Fiji Coastal Communities: A Case Study of Veivatuloa Village. *Evolutionary and Institutional Economic Review*, **11** (1): 53–66.
- Kitolelei, J., S. Nishimura, T. Torii, K. Kawai and T. Kobari (2014). Multilayer rules and governance in Fiji coastal communities: a case study of Veivatuloa village. *Evolutionary and Institutional Economics Review*, **11**: 53–66.
- Komeyama K., K. Anraku, T. Ishida, T. Onoue and T. Kasedo (2014). Acoustic telemetry measurement of the use of space by a fish in a large tank. *Nippon Suisan Gakkaishi*, **80**: 677–688. (in Japanese)
- Komeyama, K., R. Takayanagi, K. Fujioka, Y. Yamanaka, T. Ojiri and K. Anraku (2014). The effect of tidal current on the movement of hatchery-reared red seabream near fish aggregating devices. *Fisheries Engineering*, **51**: 21–31.
- Koyama, J., C. Imakado, S. Uno, T. Kuroda, S. Hara, T. Majima, H. Shirota and N.C. Anasco (2014). Simulated Distribution and Ecotoxicity-Based Assessment of Chemically-Dispersed Oil in Tokyo Bay. *Marine Pollution Bulletin*, **85**: 487–493.
- Liu, K.-K., C.-K. Kang, T. Kobari, H. Liu, C. Rabouille and K. Fennel (2014). Biogeochemistry and ecosystems of continental margins in the western North Pacific Ocean and their interactions and responses to external forcing – an overview and synthesis. *Biogeoscience*, **11**: 11293–11330.
- Miki, S., S. Uno, K. Ito, J. Koyama and H. Tanaka (2014). Distributions of polycyclic aromatic hydrocarbons and alkylated polycyclic aromatic hydrocarbons in Osaka Bay, Japan. *Marine Pollution Bulletin*, **85**: 558–565.
- Na, H., M. Wimbush, J.-H. Park, H. Nakamura, and A. Nishina (2014). Observations of flow variability between the East China Sea and the Northwestern Pacific through the Kerama Gap. *J. Geophys. Res. (Oceans)*, **119**: 689–703.
- Nagamatsu, T., H. Nakamura, T. Nomoto, H. Sumoto, and S. Nakao (2014). Flow visualization of an artificial upwelling induced by marine structures in density stratified flows. *Fisheries Engineering*, **51**: 1–10. (in Japanese with English figure captions)
- Ng, N. K., H. Suzuki, H.-T. Shih, S.-i. Dewa, and P. K. L. Ng (2014). The hydrothermal crab, *Xenograpsus testudinatus* Ng, Huang & Ho, 2000 (Crustacea: Decapoda: Brachyura: Grapsidae) in southern Japan. *Proceedings of the Biological Society of Washington*, **127** (2): 391–399.
- Niwa, N., M. Vazquez Archdale, T. Matsuoka, A. Kawamoto and H. Nishiyama (2014). Microhabitat distribution and behaviour of Branchiobdellian *Holtodrilus truncatus* found on the freshwater shrimp *Neocardina* spp. from the Sugo River, Japan. *Central European Journal of Biology*, **9** (1): 80–85.
- Nuñal, S.N., S.M.S. Santander-de Leon, E. Bacolod, J. Koyama, S. Uno, M. Hidaka, T. Yoshikawa, and H. Maeda

- (2014). Bioremediation of heavy oil-polluted seawater by a bacterial consortium immobilized in cocopeat and rice hull powder. *Biocontrol Science*, **19**: 11–22.
- Nuñal, S.N., S.M. Santander-de Leon, M. Nakano, C. Saclauso, T. Yoshikawa, and H. Maeda (2014). Isolation, identification and characterization of oil-degrading bacterial strains from Guimaras, Philippines for bioremediation application. *DNA Polymorphism*, **22**: 1–9.
- Nurulnadia, M.Y., J. Koyama, S. Uno, A. Kito, E. Kokushi, E.T. Bacolod, K. Ito and Y. Chuman (2014). Accumulation of endocrine disrupting chemicals (EDCs) in the polychaete *Paraprionospio* sp. from the Yodo River mouth, Osaka Bay, Japan. *Environmental Monitoring and Assessment*, **186**: 1453–1463.
- Sasaki, T. (2014). The Role of Foreign Labor in the Production of Bonito and Dried Bonito. *Journal of Regional Fisheries*, **54**: 43–61.
- Saw Mya Linn, M. Ishikawa S. Koshio and S. Yokoyama. (2014). Effect of Dietary Vitamin E Supplementation on Growth Performance and oxidative Condition of Red Sea Bream *Pagrus Major*. *Aquaculture Science*, **62**: 329–340.
- Saw Mya Linn, M. Ishikawa, S. Koshio, S. Yokoyama, T. Murata, Y. Hamasaki and L. Nankervis. (2014). Effects of Replacing Fish Meal with Plant Protein on Growth Performance, Feed Utilization and Oxidative Condition of Red Sea Bream *Pagrus major*. *Aquaculture Science*, **62**: 341–352.
- Sasaki, T. and H. Miyazawa (2014). The Policy System for Stable Securement of Fishermen and its Characteristics: With a focus on Policy Development in Hokkaido, *THE NOKEI RONSO (The Review of Agricultural Economics Hokkaido University)*, **69**: 115–124.
- Shibasaki, Y., T. Yabu, K. Araki, N. Mano, H. Shiba and T. Moritomo, T. Nakanishi (2014). Peculiar monomeric interferon gammas, IFN γ rel 1 and IFN γ rel 2, in ginbuna crucian carp. *FEBS J.*, **281** (4): 1046–1056.
- Shiozaki, K., S. Ryuzono, N. Matsushita, A. Ikeda, K. Takeshita, P. Chigwechokha, M. Komatsu and T. Miyagi (2014). Molecular cloning and biochemical characterization of medaka (*Oryzias latipes*) lysosomal neu4 sialidase. *Fish Physiology and Biochemistry*, **40**: 1461–1472.
- Shono, H. (2014). Application of support vector regression to CPUE analysis for southern bluefin tuna *Thunnus maccoyii*, and its comparison with conventional methods. *Fisheries Science*, **80**: 879–886.
- Shono, H., M. Horie, A. Inoue and T. Higashi (2014). Catch prediction for juvenile Bluefin tuna in the water close to Kagoshima based on machine learning. *Japanese Journal of Biometrics*, **35**: 1–15 (in Japanese).
- Suda, Y., Y. Nakane and J. Ohtomi (2014) Occurrences and size compositions of major surf zone fishes in an open sandy shore at Fukiagehama, Kagoshima, Japan. *J. Coast. Zone Studies*, **27** (1): 27–36. (in Japanese)
- Suda, Y., Y. Nakane, J. Ohtomi and T. Kunimori (2014) Surf zone ichthyofaunal in an open sandy shore at Fukiagehama, southern Kyushu Island, Japan. *J. Nat. Fish. Univ.*, **63** (1): 1–15. (in Japanese)
- Takano, H., S. Takumi, S. Ikema, N. Mizoue, Y. Hotta, K. Shiozaki, Y. Sugiyama, T. Furukawa and M. Komatsu (2014). Microcystin-LR Induces Anoikis Resistance to the Hepatocyte Uptake Transporter OATP1B3-expressing *Cell Lines*. *Toxicology*, **326**: 53–61.
- Takizawa, F., K. Araki, M. Otani, H. Toda, Y. Saito, V. S. Lampe, J. M. Dijkstra, M. Ototake, T. Moritomo, T. Nakanishi and U. Fischer (2014). Transcription analysis of two Eomesodermin genes in lymphocyte subsets of two teleost species. *Fish Shellfish Immunol.* **36** (1): 215–222.
- Tatamidani, I., T. Kurahori, H. Shimabukuro and R. Terada (2014) Species and distributional characteristics of seaweed / seagrass communities from the western coast of Osumi Peninsula, Kagoshima. *Japanese Journal of Phycology*, **62** (3): 152–160. (in Japanese)
- Tuan T., Y. Kaminishi, A. Funahashi, M.A.H. El-Kady, A.A.I. Hassanin, and T. Itakura (2014). cDNA cloning, characterization and expression of cytochrome P450 family

1 (CYP1A) from Javanese medaka, *Oryzias javanicus*, by environmental conditions. *African Journal of Biotechnology*, **13**: 1898–1909.

Tuan T., Y. Kaminishi, A. Funahashi, A.A.I. Hassanin and T. Itakura (2014). Cloning and tissue expression of cytochrome P450 1B1 and 1C1 genes from Javanese medaka, *Oryzias javanicus*, under environmental stress conditions. *African Journal of Biotechnology*, **13**: 2028–2040.

Ueno, R., M. Sato and T. Yamamoto. (2014). Changes in macrobenthic fauna and environmental condition of their habitats of the Shigetomi-higata tidal flats in Kagoshima Bay. *Nature of Kagoshima*, **40**: 217–223.

Vo, T. D., G. N. Nishihara, S. Shimada, Y. Watanabe, M. Fujimoto, S. Kawaguchi and R. Terada (2014) Taxonomic identity and the effect of temperature and irradiance on the photosynthesis of an indoor tank-cultured red alga *Agardhiella*

subulata from Japan. *Fisheries Science*, **80** (2): 281–292.

Watanabe, Y., G. N. Nishihara, S. Tokunaga and R. Terada (2014) The effect of irradiance and temperature responses and the phenology of a native alga, *Undaria pinnatifida* (Laminariales), at the southern limit of its natural distribution in Japan. *Journal of Applied Phycology*, **26** (6): 2405–2415.

Watanabe, Y., G. N. Nishihara, S. Tokunaga and R. Terada (2014) Effect of irradiance and temperature on the photosynthesis of a cultivated red alga, *Pyropia tenera* (= *Porphyra tenera*), at the southern limit of distribution in Japan. *Phycological Research*, **62** (3): 187–196.

Yamasaki, M., K. Araki, T. Nakanishi, C. Nakayasu and A. Yamamoto (2014). Role of CD4⁺ and CD8 α ⁺ T cells in protective immunity against *Edwardsiella tarda* infection of ginbuna crucian carp, *Carassius auratus langsdorfii*. *Fish Shellfish Immunol.*, **36** (1): 299–304.