

## 2019 ANNUAL CONTRIBUTIONS Author Index

- Abe M., T. Kobari, T. Honma, T. Kanayama, F. Karu, N. Yoshie, D. Hasegawa, A. Nishina, M. Uchiyama, T. Azuma and H. Nakamura (2019) Changes in plankton community structure, standing stocks and productivity from upstream to downstream of the Kuroshio across the Tokara Strait. *Bull. Coast. Oceanogr.*, 57: 65–72.
- Ahamed, F., Z.F. Ahmed and J. Ohtomi (2019) Seasonal variations in the population biology of *Salmostoma bacaila* (Cyprinidae) from the tributary of the Payra River, Bangladesh. *Zool. Ecol.*, 29(2): 113–119.
- Amano, H., S. Uno, J. Koyama, N. Hiramatsu, T. Todo and A. Hara (2019) Development of specific enzyme-linked immunosorbent assays for multiple vitellogenins in marbled sole, *Pleuronectes yokohamae*. *Gen. Comp. Endocrinol.*, 281: 67–72.
- Billah, Md. M., E. Kokushi and S. Uno (2019) Distribution, geochemical speciation and bioavailable potencies of cadmium, copper, lead and zinc in sediments from urban coastal environment in Osaka Bay, Japan. *Water Air Soil Pollut.*, 230: 157.
- Billah, Md. M., E. Kokushi and S. Uno (2019) Metal bioavailability and bioaccumulation in the polychaete *Perinereis nuntia*: relationship between predictions using chemical analysis and accumulation through actual exposures. *Jpn. J. Environ. Toxicol.*, 22: 41–52.
- Doi W., A. Mizutani, M. Yoshioka, K. Kawai, and H. Kohno (2019) Aspects of local population and gastropod shell use of the land hermit crab *Coenobita brevipennis* (Decapoda: Anomura) in Amitori, an abandoned village on Iriomote Island, Japan. *Japanese Journal of Benthology*, 73(2): 75–83.
- Doi, W (2019) Spawning fraction and maturity of *Lucenosergia lucens*. *Umiushi-Tsushin*, 108: 6–8.
- Doi, W., S. Kato, D. Itoh, A. Mizutani and H. Kohno (2019) Distribution, size structure, and relative growth of *Epigrapsus politus* (Brachyura: Gecarcinidae) in a subtropical bay in Japan. *Crsut. Res.*, 48: 147–157.
- Ebata, K., K. Sato, T. Kobari, K. Honma, K. Maeda, S. Saisho, H. Miyamoto and T. Kamiwatari (2019) Growth characteristics of microalgae on magnesia mortar containing shochu distillation lees at the beginning of set-ting in the sea. *Journal of JSCE, B3*, 75(2): 522–527.
- Hasegawa D., T. Tanaka, T. Matsuno, T. Senjyu, E. Tsutsumi, H. Nakamura, A. Nishina, T. Kobari, N. Yoshie, X. Guo, T. Nagai, T. Okunishi and I. Yasuda (2019) Measuring the vertical turbulent nitrate flux using sensors. *Bull. Coast. Oceanogr.*, 57: 59–64.
- Hassanin A.A.I. and Y. Kaminishi (2019) A novel cytochrome P450 1D1 gene in Nile tilapia fish (*Oreochromis niloticus*): partial cDNA cloning expression following benzo-a-pyrene exposure. *Int. Aquat. Res.*, 11: 277–285.
- Hayasaka, O., H. Matsui, M. Matsuoka, M. Yamada and T. Kotani (2019) Sex change in protogynous fish red-belted anthias *Pseudanthias rubrizonatus* (Serranidae) in Kagoshima Bay, Japan. *J. Ichthyol.*, 59(3): 366–371.
- Hayasaka, O., Y. Takeuchi, K. Shiozaki, K. Anraku and T. Kotani (2019) Green light irradiation during sex differentiation induces female-to-male sex reversal in the medaka *Oryzias latipes*. *Scientific Reports*, 9: 2383.
- Hossain, M. A., M. Y. Hossain, M. A. Hossen, M. A. Rahman, M. A. Islam, D. Khatun, F. Nower and J. Ohtomi (2019) Temporal variations of sex ratio and growth pattern of critically endangered catfish *Clupisoma garua* from the Ganges River of north-western Bangladesh. *Indian J. Mar. Sci.*, 48(5): 647–653.
- Hossen, M. A., A. K. Paul, M. Y. Hossain, J. Ohtomi, W. Sabbir, O. Rahman, J. Jasmin, M. N. Khan, M. A. Islam, M. A. Rahman, D. Khatun and S. K. Kamruzzaman (2019) Estimation of Biometric Indices for Snakehead *Channa*

- punctata* (Bloch, 1793) through Multi-model Inferences. *Jordan J. Biol. Sci.*, 12(2): 197–202.
- Hossen, M. A., M. A. Rahman, M. Y. Hossain, M. A. Islam, M. R. Hasan, Z. Mawa and J. Ohtomi (2019) Estimation of relative growth of minor carp *Labeo bata* (Cyprinidae) through multi-linear dimensions. *Lakes Reserv. Res. Manag.*, 24: 302–307.
- Ishikawa, K., S. Ito, H. Nakamura, A. Nishina, T. Saito and T. Tokeshi (2019) Particle-tracking experiments of the transport of eggs, larvae and juveniles of red tilefish *Branchiostegus japonicus* from the East China Sea to the coastal area of Miyazaki Prefecture, Japan. *Bulletin of the Japanese Society of Fisheries Oceanography*, 83(2): 93–103.
- Jeon., C., J.-H. Park, H. Nakamura, A. Nishina, X.-H. Zhu, D.-G. Kim, H.-S. Min, S.-K. Kang, H. Na and N. Hirose (2019) Poleward-propagating near-inertial waves enabled by the western boundary current. *Sci. Rep.*, DOI:10.1038/s41598-019-46364-9
- Khoa, T. N. D., V. Waqalevu, A. Honda, K. Shiozaki and T. Kotani (2019) Early ontogenetic development, digestive enzymatic activity and gene expression in red sea bream (*Pagrus major*). *Aquaculture*, 512: 734283.
- Kobari T., A.R. Sastri, L. Yebra, H. Liu and R.R. Hopcroft (2019) Evaluation of trade-offs in traditional methodologies for measuring metazooplankton growth rates: Assumptions, advantages and disadvantages for field applications. *Prog. Oceanogr.*, 178: 102137.
- Kobari T., Y. Kobari, H. Miyamoto, Y. Okazaki, G. Kume, R. Kondo and A. Habano (2019) Variability in taxonomic composition, standing stock and productivity of the plankton community in the Kuroshio and its neighboring waters. In *Kuroshio Current: Physical, Biogeochemical and Ecosystem Dynamics* (eds T. Nagai, H. Saito, K. Suzuki and M. Takahashi), *Geophys. Monogr.*, 243: 223–350.
- Koyama, M. K. Nakamoto, R. Morishima, T. Yamashita, K. Yamashita, Y. Sasaki, N. Kuruma, M. Mizuno, Y. Suzuki, R. Okada, T. Ieda, S. Uchino, S. Tasumi, S. Hosoya, S. Uno, J. Koyama, A. Toyoda, K. Kikuchi and T. Sakamoto (2019) A SNP in a Steroidogenic Enzyme Is Associated with Phenotypic Sex in *Seriola* Fishes. *Curr. Biol.*, 29: 1901–1909.
- Liu, Z.-J., H. Nakamura, X.-H. Zhu, A. Nishina, X. Guo and M. Dong (2019) Tempo-spatial variations of the Kuroshio current in the Tokara Strait based on long-term ferryboat ADCP data. *J. Geophys. Res.: Oceans*, DOI:10.1029/2018JC014771
- Matsui, H., K. Anraku and T. Kotani (2019) Spectrophotometry can monitor changes in algal metabolism triggered by nutrient deficiency in *Nannochloropsis oculata* cultured under various light-emitting diode light regimes. *Fish. Sci.*, 85(1): 167–176.
- Matsui, T., S. Kato and Y. Tanaka (2019) Cryo-EM Analysis Reveals the Asymmetric Assembly of the *Todarodes pacificus* Hemocyanin (TpH). *J.CrSj.*, 61: 211–213.
- Matsumoto M., T. Kubota, S. Fujita, K. Shiozaki, S. Kishida and A. Yamamoto (2019) Elucidation of the Interleukin 12 Production Mechanism during Intracellular Bacterial Infection in Amberjack, *Seriola dumerili*. *Infection and immunity*, 87(11). e00459-19.
- Nagai T., G.S. Durán, D.A. Otero, Y. Mori, N. Yoshie, K. Ohgi, D. Hasegawa, A. Nishina and T. Kobari (2019) How the Kuroshio Current delivers nutrients to sunlit layers on the continental shelves with aid of near-internal waves and turbulence. *Geophys. Res. Lett.*, 46: 6726–6735.
- Nio, T., W. Doi, A. Mizutani and H. Kohno (2019) Seaward migration and larval release of the land hermit crab *Coenobita brevimanus* Dana, 1852 (Anomura: Coenobitidae) on Iriomote Island, Japan. *Crust. Res.*, 48: 67–80.
- Okamoto, J., J. Ohtomi and H. Motomura (2019) Record of a rare carangid fish, *Carangoides gymnotethus*, from Tanegashima island, Osumi Islands, Japan. *Nature of Kagoshima*, 45: 353–356.
- Okano, T., H. Suzuki and M. Horie (2019) Habitat use and activity patterns of three Japanese freshwater crabs of the genus *Geothelphusa* (Decapoda, Brachyura, Potamidae). *J. Crust. Biol.*, 23(2): 308–317.

- Sanuki H., T. Watanabe, J. Ohtomi and T. Komai (2019) Record of a freshwater shrimp *Macrobrachium placidulum* (Decapoda: Caridea: Palaemonidae) from Kuchinoerabu-jima Island, Kagoshima Prefecture, Japan, representing the northernmost record of the species. *Bull. biogeogr. Soc. Japan*, 74: 100–106.
- Sanuki, H., A. Sanuki, M. Sanuki and J. Ohtomi (2019) Occurrence and distribution of freshwater shrimps *Atyopsis spinipes* and *Australatya obscura* (Decapoda: Atyidae) in the Satsuma Peninsula, Kagoshima Prefecture, southern Kyushu, Japan. *Nature of Kagoshima*, 45: 259–263.
- Shiozaki, K., K. Oishi and A. Honda (2019) Functional characterization of fish sialidases and their diversity among different orders. *Trend. Glycosci. Glycotech*, 31: E7–E13.
- Tanaka, Y., S. Kato, M. Stabrin, S. Raunser, T. Matsui and C. Gatsogiannis (2019) CryoEM reveals the asymmetric assembly of squid hemocyanin. *IUCr.*, 6: 426–437.
- Tran, N. D. K., V. Waqalevu, A. Honda, K. Shiozaki and T. Kotani (2019) Early ontogenetic development, digestive enzymatic activity and gene expression in redseabream (*Pagrus major*). *Aquaculture*, 512: article: 734283.
- Tran, N. D. K., V. Waqalevu, A. Honda, K. Shiozaki and T. Kotani (2019) Comparative study on early digestive enzyme activity and expression in red sea bream (*Pagrus major*) fed on live feed and micro-diet. *Aquaculture*, 519: article: 734721.
- Vazquez Archdale, M., J. Santos and F. Watariguchi (2019) Evaluation of open- and closed-eyed entrances on retention and escape of invasive swimming crabs and associated fauna from pots in their native range. *Mar. Freshw. Res.*, 70 (8): 1169–1177.
- Viliame Waqalevu V., H. Matsui, A. Honda, S. Dossou, A. Yamamoto, K. Shiozaki and T. Kotani (2019) Enrichment effect on two *Brachionus plicatilis* sp. complex morphotypes fed three nutritional enrichment diets. *Aquaculture Science*, 67(2): 139–155.
- Vo, K. L., T. Tsuzuki, Y. Kamada-Futagami, K. O. Chigwechokha, A. Honda, K. Oishi, M. Komatsu and K. Shiozaki (2019) Desialylation by *Edwardsiella tarda* is the initial step in the regulation of its invasiveness. *Biochem. J.*, 476: 3183–3196.
- Waqalevu, V., A. Honda, S. Dossou, N. D. K. Tran, H. Matsui, K. Mzengereza, L. Hanlin, M. Ishikawa, K. Shiozaki and T. Kotani (2019) Effect of oil enrichment on *Brachionus plicatilis* rotifer and first feeding red seabream (*Pagrus major*) and Japanese flounder (*Paralichthys olivaceus*). *Aquaculture*, 510: 73–83.
- Waqalevu, V., H. Matsui, A. Honda, S. Dossou, A. Yamamoto, K. Shiozaki and T. Kotani (2019) Enrichment effect on two *Brachionus plicatilis* sp. complex morphotypes fed three nutritional enrichment diets. *Aquacult. Sci.*, 67(2): 139–155.