

2020 ANNUAL CONTRIBUTIONS Author Index

- Ariyama, H., M. Kodama and K. Tomikawa (2020) Species of the Maera-clade collected from Japan. Part 4: addenda to genera Maera Leach, 1814 and Quadrimaera Krapp-Schickel & Ruffo, 2000, with revised key to Japanese species of the Clade (Crustacea: Amphipoda: Maeridae). *Zootaxa*, 4885(3): 336–352.
- Doi, W., D. Itoh, S. Kato, A. Mizutani and H. Kohno (2020) Reproductive biology of the land crab *Epigrapsus politus* Heller, 1862 (Brachyura: Gecarcinidae) on Iriomote-jima, Japan. *J. Crust. Biol.*, 40(2): 200–208
- Doi, W., H. Inoue and H. Kohno (2020) Records of *Coenobita cavipes* in the upper reaches of rivers on Iriomote Island. *Study Rev. Iriomote Is., ORRC, Tokai Univ.*, 2019: 25–30.
- Doi, W., H. Inoue, A. Mizutani and H. Kohno (2020) Gastropod shell use by the land hermit crabs *Coenobita brevimanus* and *C. cavipes* in an abandoned village on Iriomotejima Island, Japan. *Crustac. Res.*, 49: 155–165.
- Ebata, K., Y. Yamashita, K. Inohara, S. Fuwa, I. Kimura, S. Tamotsu and T. Shinmachi (2020) Evaluation of muscle post-mortem changes of Japanese anchovy *Engraulis japonica* and round herring *Etrumeus teres* and recovery of ATP concentration of Japanese anchovy following brief rest in a fish cage. *Fish. Eng.*, 56(3): 149–158.
- Endo, H., E. Inomata, X. Gao, J. Kinoshita, Y. Sato and Y. Agatsuma (2020) Heat stress promotes nitrogen accumulation in meristems via apical blade erosion in a brown macroalga with intercalary growth. *Front. Mar. Sci.*, 7: 575721.
- Hasan M. R., Z. Mawa, H. U. Hassan, M. A. Rahman, S. Tanjin, N. A. Abro, K. Gabol, M. A. Bashar, S. Jasmine, J. Ohtomi and M. Y. Hossain (2020) Impact of eco-hydrological factors on growth of the Asian stinging catfish *Heteropneustes fossilis* (Bloch, 1794) in a Wetland Ecosystem. *Egypt. J. Aquat. Biol. Fish.*, 24(5): 77–94.
- Havimana, L, J. Ohtomi, Y. Masuda and M. Vazquez Archdale (2020) Age and growth of crimson sea bream *Evynnis tumifrons* off the southwestern coast of Kyushu, Japan. *Fish. Sci.*, 86(1): 65–76.
- Havimana, L., J. Ohtomi, Y. Masuda and M. Vazquez Archdale (2020) The reproductive biology of female crimson sea bream *Evynnis tumifrons* off the southwestern coast of Kyushu, Japan. *Fish. Sci.*, 86(1): 65–75.
- Honda, A., P. K. Chigwechokha, R. Takase, O. Hayasaka, K. Fujimura, T. Kotani, M. Komatsu and K. Shiozaki (2020) Novel Nile tilapia Neu1 sialidases: Molecular cloning and biochemical characterization of the sialidases Neu1a and Neu1b. *Gene*, 742: 144538.
- Ide, M., I. Yoshida, M. Kumagai, T. Mishima, Y. Takahashi, K. Fujita, T. Igarashi and E. Matsuura (2020) *Tithonia diversifolia*-derived orizabin suppresses cell adhesion, differentiation, and oxidized LDL accumulation by Akt signaling suppression via PTEN promotion in THP-1 cells. *J. Food Biochem.*, 44: e13268
- Inoue, H., N. Tsukada, T. Nakano, W. Doi and H. Kohno (2020) Freshwater caridean shrimps and prawns in 12 rivers on Iriomote Island, Japan. *Study Rev. Iriomote Is., ORRC, Tokai Univ.*, 2019: 1–24.
- Inoue, R., T. Tanaka, H. Nakamura, D. Yanagimoto, S. Fujio, and I. Yasuda (2020) Microstructure and mooring observations of enhanced mixing in the Kerama. *Gap. J. Geophys. Res.: Oceans*, 125: e2019JC015553.
- Islam, M. A., Z. Mawa, M. Y. Hossain, M. A. Rahman, M. R. Hasan, D. Khatun, A. A. Chowdhury, O. Rahman, and J. Ohtomi (2020) Morphometric and Meristic characteristics of Spotted snakehead *Channa punctata* (Bloch, 1793) in a Wetland Ecosystem (NW Bangladesh) using multi-linear dimensions. *Indian J. Geo-Mar. Sci.*, 49(8): 1442–1446.
- Jinno, M., W. Doi, A. Mizutani and H. Kohno (2020) Seasonal changes in body color of *Mictyris guinotae* (Brachyura:

- Mictyridae). *Crustac. Res.*, 49: 133–140.
- Kanayama, T., T. Kobari, K. Suzuki, N. Yoshie, T. Honma, F. Karu and G. Kume (2020) Impact of microzooplankton grazing on the phytoplankton community in the Kuroshio of the East China Sea: a major trophic pathway of the Kuroshio ecosystem. *Deep-Sea Res. I*, 163: 103337
- Karu, F., T. Kobari, T. Honma, T. Kanayama, K. Suzuki, N. Yoshie and G. Kume (2020) Trophic sources and linkages to support mesozooplankton community in the Kuroshio of the East China Sea. *Fish. Oceanogr.*, 29: 442–456
- Kawase, T., H. Shirasawa, Y. Onishi, T. Yamanaka and T. Yamamoto (2020) Food web structure of benthic animals and function of mangrove tree in the northern limit mangrove forest. *Japanese J. Conserv. Ecol.*, 25(2): 235–247.
- Khoa, T. N. D., V. Waqalevu, A. Honda, K. Shiozaki and T. Kotani (2020) Comparative study on early digestive enzyme activity and expression in red sea bream (*Pagrus major*) fed on live feed and micro-diet. *Aquaculture*, 519: 734721.
- Kobari, T., A. Yamasaki, Y. Endo, G. Kume, T. Komorita, M. Ichinomiya, A. Habano, Y. Arita and F. Makino (2020) Temporal and spatial variability of mesozooplankton community in the northern Satsunan area, southern Kyushu. *Oceanogr. Japan*, 29: 217–232.
- Kobari, T., T. Honma, D. Hasegawa, N. Yoshie, E. Tsutsumi, T. Matsuno, T. Nagai, T. Kanayama, F. Karu, K. Suzuki, T. Tanaka, X. Guo, G. Kume, A. Nishina and H. Nakamura (2020) Phytoplankton growth and consumption by microzooplankton stimulated by turbulent nitrate flux suggest rapid trophic transfer in the oligotrophic Kuroshio. *Biogeosci.*, 17: 2441–2452.
- Kobayashi, S. and M. Vazquez Archdale (2020) Copulation of the Japanese potamid crab *Geothelphusa dehaani* in their natural habitat. *Crustacean Research*, 49: 167–171.
- Kobayashi, S. and M. Vazquez Archdale (2020) Mating behaviour of the leucosiid crab *Pyrhila pisum* (De Haan, 1841). *J. Mar. Biolog. Assoc. UK.*, 100(1): 103–113.
- Kobayashi, S. and M. Vazquez Archdale (2020) Sexual traits and reproductive strategy of the leucosiid crab *Pyrhila pisum*. *J. Mar. Biolog. Assoc. UK.*, 100(6): 939–948.
- Kodama, M. (2020) Report on The Crustacean Society Mid-Year Meeting 2019 held in Hong Kong: participation supported by Hiroshi Suzuki Memorial International Conference Travel Grant for Young Researchers. *CANCER*, 29: e136–e141.
- Kodama, M., J. Hayakawa and T. Kawamura (2020) Aggregations of *Dactyloplestes* (Amphipoda: Pleustidae) on the diseased areas of the host sea-urchin, *Strongylocentrotus intermedius*. *Mar. Biodiv.*, 50(4): Article number 62.
- Kodama, M., T. Kawamura, K. Nakamoto, N. Ohtsuchi, J. Hayakawa, T. Kanki, T. Kitagawa and Y. Watanabe (2020) Effect of algal phenology on seasonal dynamics of gammarid assemblages: differences between canopy and understory strata in a *Sargassum yezoense* bed. *Mar. Ecol. Prog. Ser.*, 634: 63–76.
- Kodama, M., T. Onitsuka and T. Kawamura (2020) A new species of *Sunamphitoe* Bate, 1857 (Crustacea: Amphipoda: Ampithoidae) from Hokkaido, Japan. *J. Mar. Biol. Assoc. U. K.*, 100(1): 63–72.
- Kumagai, M., K. Nishikawa, T. Mishima, I. Yoshida, M. Ide, A. Watanabe, K. Fujita and Y. Morimoto (2020) Fluorinated Kavalactone Inhibited RANKL-Induced Osteoclast Differentiation of RAW264 Cells. *Biol. Pharm. Bull.*, 43(5): 898–903.
- Kuroda, M., K. Uchida, T. Tokaia, Y. Miyamoto, T. Mukai, K. Imai, K. Shimizu, M. Yagi, Y. Yamanaka and T. Mituhashi (2020) The current state of marine debris on the seafloor in offshore area around Japan. *Mar. Pollut. Bull.*, 161: 111670.
- Liu, Z.-J., X.-H. Zhu, M. Wang, M. Chen, H. Zheng, H. Nakamura, A. Nishina, and J.-H. Park (2020) Variability of the Deep Overflow through the Kerama Gap Revealed by Observational Data and Global Ocean Reanalysis. *J. Mar. Sci. Eng.*, doi:10.3390/jmse8060402.
- Matsui, H., K. Shiozaki, Y. Okumura, M. Ishikawa, V.

- Waqalevu, O. Hayasaka, A. Honda and T. Kotani (2020) Effects of phosphorous deficiency of a microalga *Nannochloropsis oculata* on its fatty acid profiles and intracellular structure and the effectiveness in rotifer nutrition. *Algal Res.*, 49: 101905.
- Matsui, H., M. M. B. Intoy, V. Waqalevu, M. Ishikawa and T. Kotani (2020) Suitability of *Tisochrysis lutea* at different growth phases as an enrichment diet for *Brachionus plicatilis* sp. complex rotifers. *J. Appl. Phycol.*, 32: 3933–3947.
- Nagasawa K. and M. Kodama (2020) Northward range extension of the cymothoid isopod *Ceratothoa oxyrrhynchaena*, a buccal cavity parasite of marine demersal fish, in Japan. *Nature of Kagoshima*, 47: 21–25.
- Nakamura, H. (2020) Changing Kuroshio and Its Affected Shelf Sea: A Physical View. In: Chen CT., Guo X. (eds) *Changing Asia-Pacific Marginal Seas. Atmosphere, Earth, Ocean & Space*. Springer, 265–305.
- Nakamura, H., R. Inoue, A. Nishina, and T. Nakano (2020) Seasonal variations in salinity of the North Pacific Intermediate Water and vertical mixing intensity over the Okinawa Trough. *J. Oceanogr.*, 77: 199–213.
- Nakano, Y., T. Kobari, A. Yamaguchi and G. Kume (2020) Diet of Ryukyu-ayu *Plecoglossus altivelis ryukyuensis* in subtropical rivers of Amami-oshima Island, southern Japan revealed by gut content analysis and inferred from stable isotope signatures. *Jap. J. Ichthyol.*, 67: 287–292.
- Oishi, K., M. Miyazaki, R. Takase, KP. Chigwechokha, M. Komatsu and K. Shiozaki (2020) Regulation of triglyceride metabolism in medaka (*Oryzias latipes*) hepatocytes by Neu3a sialidase. *Fish Physiol. Biochem.* 46: 563–574.
- Okada, K., R. Takase, Y. Hamaoka, A. Honda, A. Ikeda, Y. Hokazono, Y. Maeda, O. Hayasaka, T. Kotani, M. Komatsu and K. Shiozaki (2020) Establishment and characterization of Neu1-knockout zebrafish and its abnormal clinical phenotypes. *Biochem. J.*, 477(15): 2841–2857.
- Rahman M. M. and J. Ohtomi (2020) Ovarian maturation, size at sexual maturity and spawning season of *Metapenaeopsis provocatoria* owstoni Shinomiya & Sakai, 2000 (Decapoda: Penaeidae). *Crust. Res.*, 49: 109–120.
- Sabbir W., M. Y. Hossain, M. A. Rahman, M. R. Hasan, Z. Mawa, S. Tanjin, H. Ul-Hassan and J. Ohtomi (2020) First Report on Condition Factor of *Panna heterolepis* (Trewavas, 1977) in the Bay of Bengal (Southwestern Bangladesh) in Relation to Eco-Climatic Factors. *Egypt. J. Aquat. Biol. Fish.* 24(2): 591–608.
- Shiozaki, K., M. Kawabe, K. Karasuyama, T. Kurachi, A. Hayashi, K. Ataka, H. Iwai, H. Takeno, O. Hayasaka, T. Kotani, M. Komatsu and A. Inui (2020) Neuropeptide Y deficiency induces anxiety-like behaviours in zebrafish (*Danio rerio*). *Sci. Rep.*, 10: article NO:5913.
- Shiozaki, K., K. Uezono, G. Hirai, A. Honda, M. Minoda and R. Wakata (2020) Identification of novel fish sialidase genes responsible for KDN-cleaving activity. *Glycoconj. J.*, 37: 745–753.
- Tran, NDK., V. Waqalevu, A. Honda, K. Shiozaki and T. Kotani (2020) Comparative study on early digestive enzyme activity and expression in red sea bream (*Pagrus major*) fed on live feed and micro-diet. *Aquaculture*, 519: article:734721.
- Ueno, R. and T. Yamamoto (2020) A process of sexual maturation of *Simplisetia erythraeensis* (Annelida, Nereididae). *Aquaculture Science*, 68: 65–73.
- Yoshida, I., M. Kumagai, M. Ide, S. Horigome, Y. Takahashi, T. Mishima, K. Fujita and T. Igarashi (2020) Polymethoxyflavones in black ginger (*Kaempferia parviflora*) regulate the expression of circadian clock genes. *J. Funct. Foods*, 68: 103900.
- Zhao, R., H. Nakamura, X.-H. Zhu, J.-H. Park, A. Nishina, C. Zhang, H. Na, C. Jeon, Z. Zhu and H.-S. Min (2020) Temporal-spatial variations of the Ryukyu Current southeast of Miyakojima Island determined from mooring observations. *Scientific Reports*, DOI: doi.org/10.1038/s41598-020-63836-5.
- Zheng, H., Z.-X. Hua, H. Nakamura, J.-H. Park, C. Jeon, R. Zhao, A. Nishina, C. Zhang, H. Na, Z.-M. Zhu, and H.-S. Min

(2020) Generation and propagation of 21-day bottom pressure variability driven by wind stress curl in the East China Sea. *Acta Oceanologica Sinica*, 39 (7): 91–116.